

CS3600 — SYSTEMS AND NETWORKS

NORTHEASTERN UNIVERSITY

Lecture 2: Operating System Structures

Prof. Alan Mislove (amislove@ccs.neu.edu)

Operating System Services

- Operating systems provide an environment for execution of programs and services to programs and users
- One set of operating-system services provides functions that are helpful to the user:
 - **User interface** - Almost all operating systems have a user interface (UI).
 - Varies between **Command-Line (CLI)**, **Graphics User Interface (GUI)**, **Batch**
 - **Program execution** - The system must be able to load a program into memory and to run that program, end execution, either normally or abnormally (indicating error)
 - **I/O operations** - A running program may require I/O, which may involve a file or an I/O device
 - **File-system manipulation** - The file system is of particular interest. Programs need to read and write files and directories, create and delete them, search them, list file information, permission management.

Operating System Services (Cont.)

- **Communications** – Processes may exchange information, on the same computer or between computers over a network
 - Communications may be via shared memory or through message passing (packets moved by the OS)
- **Error detection** – OS needs to be constantly aware of possible errors
 - May occur in the CPU and memory hardware, in I/O devices, in user program
 - For each type of error, OS should take the appropriate action to ensure correct and consistent computing
 - Debugging facilities can greatly enhance the user's and programmer's abilities to efficiently use the system

Operating System Services (Cont.)

- Another set of OS functions exists for ensuring the efficient operation of the system itself via resource sharing
 - **Resource allocation** - When multiple users or multiple jobs running concurrently, resources must be allocated to each of them
 - Many types of resources - Some (such as CPU cycles, main memory, and file storage) may have special allocation code, others (such as I/O devices) may have general request and release code
 - **Accounting** - To keep track of which users use how much and what kinds of computer resources
 - **Protection and security** - The owners of information stored in a multiuser or networked computer system may want to control use of that information, concurrent processes should not interfere with each other
 - **Protection** involves ensuring that all access to system resources is controlled
 - **Security** of the system from outsiders requires user authentication, extends to defending external I/O devices from invalid access attempts
 - If a system is to be protected and secure, precautions must be instituted throughout it. A chain is only as strong as its weakest link.

Outline

- How are Operating Systems structured?
 - What are the interfaces to the user and applications?
- User-OS interaction
- Application-OS interaction
 - System calls
- System programs

How do we interact with the OS?

- Two options:
 - CLI
 - GUI
- But, remember, we're only interacting with application programs

User Operating System Interface - CLI

- Command Line Interface (CLI) or **command interpreter** allows direct command entry
 - Sometimes implemented in kernel, sometimes by systems program
 - Sometimes multiple flavors implemented – **shells**
 - Primarily fetches a command from user and executes it
 - Sometimes commands built-in, sometimes just names of programs
 - If the latter, adding new features doesn't require shell modification

User Operating System Interface - GUI

- User-friendly **desktop** metaphor interface
 - Usually mouse, keyboard, and monitor
 - **Icons** represent files, programs, actions, etc
 - Various mouse buttons over objects in the interface cause various actions (provide information, options, execute function, open directory (known as a **folder**))
 - Invented at Xerox PARC
- Many systems now include both CLI and GUI interfaces
 - Microsoft Windows is GUI with CLI “command” shell
 - Apple Mac OS X as “Aqua” GUI interface with UNIX kernel underneath and shells available

Outline

- ~~User-OS interaction~~
- Application-OS interaction
 - System calls
- System programs


System Calls

- Programming interface to the services provided by the OS
- Typically written in a high-level language (C or C++)
- Mostly accessed by programs via a high-level **Application Program Interface (API)** rather than direct system call use
- Three most common APIs are Win32 API for Windows, POSIX API for POSIX-based systems (including virtually all versions of UNIX, Linux, and Mac OS X), and Java API for the Java virtual machine (JVM)
- Why use APIs rather than system calls?

(Note that the system-call names used throughout this text are generic)


Example of System Calls

- System call sequence to copy the contents of one file to another file



Example of Standard API

- Consider the ReadFile() function in the
- Win32 API—a function for reading from a file



- A description of the parameters passed to ReadFile()
 - HANDLE file—the file to be read
 - LPVOID buffer—a buffer where the data will be read into and written from
 - DWORD bytesToRead—the number of bytes to be read into the buffer
 - LPDWORD bytesRead—the number of bytes read during the last read
 - LPOVERLAPPED ovl—indicates if overlapped I/O is being used

System Call Implementation

- Typically, a number associated with each system call
 - System-call interface maintains a table indexed according to these numbers
- The system call interface invokes intended system call in OS kernel and returns status of the system call and any return values
- The caller need know nothing about how the system call is implemented
 - Just needs to obey API and understand what OS will do as a result
 - Most details of OS interface hidden from programmer by API
 - Managed by run-time support library (set of functions built into libraries included with compiler)

Examples of Linux system calls


Show entries Search:

# ▲	Name	Registers						Definition
		eax	ebx	ecx	edx	esi	edi	
0	sys_restart_syscall	0x00	-	-	-	-	-	kernel/signal.c:2058
1	sys_exit	0x01	int error_code	-	-	-	-	kernel/exit.c:1046
2	sys_fork	0x02	struct pt_regs *	-	-	-	-	arch/alpha/kernel/entry.S:716
3	sys_read	0x03	unsigned int fd	char __user *buf	size_t count	-	-	fs/read_write.c:391
4	sys_write	0x04	unsigned int fd	const char __user *buf	size_t count	-	-	fs/read_write.c:408
5	sys_open	0x05	const char __user *filename	int flags	int mode	-	-	fs/open.c:900
6	sys_close	0x06	unsigned int fd	-	-	-	-	fs/open.c:969
7	sys_waitpid	0x07	pid_t pid	int __user *stat_addr	int options	-	-	kernel/exit.c:1771
8	sys_creat	0x08	const char __user *pathname	int mode	-	-	-	fs/open.c:933
9	sys_link	0x09	const char __user *oldname	const char __user *newname	-	-	-	fs/namei.c:2520

Showing 1 to 10 of 338 entries First Previous 1 2 3 4 5 Next Last


**Generated from Linux kernel 2.6.35.4 using Exuberant Ctags, Python, and DataTables.
Developed and maintained by Greg Ose.**

API – System Call – OS Relationship



Standard C Library Example


- C program invoking printf() library call, which calls write() system call



System Call Parameter Passing

- Often, more information is required than simply identity of desired system call
 - Exact type and amount of information vary according to OS and call
- Three general methods used to pass parameters to the OS
 - Simplest: pass the parameters in *registers*
 - In some cases, may be more parameters than registers
 - Parameters stored in a *block*, or table, in memory, and address of block passed as a parameter in a register
 - This approach taken by Linux and Solaris
 - Parameters placed, or *pushed*, onto the *stack* by the program and *popped* off the stack by the operating system
 - Block and stack methods do not limit the number or length of parameters being passed

Parameter Passing via Table



Types of System Calls

- **Process control**
 - end, abort
 - load, execute
 - create process, terminate process
 - get process attributes, set process attributes
 - wait for time
 - wait event, signal event
 - allocate and free memory
- **File management**
 - create file, delete file
 - open, close file
 - read, write, reposition
 - get and set file attributes

Types of System Calls (Cont.)

- Device management
 - request device, release device
 - read, write, reposition
 - get device attributes, set device attributes
 - logically attach or detach devices
- Information maintenance
 - get time or date, set time or date
 - get system data, set system data
 - get and set process, file, or device attributes
- Communications
 - create, delete communication connection
 - send, receive messages
 - transfer status information
 - attach and detach remote devices

Outline

- ~~User-OS interaction~~
- ~~Application-OS interaction~~
 - ~~System calls~~
- System programs

System Programs

- System programs provide a convenient environment for program development and execution. They can be divided into:
 - File manipulation
 - Status information
 - File modification
 - Programming language support
 - Program loading and execution
 - Communications
 - Application programs
- Most users' view of the operation system is defined by system programs, not the actual system calls

System Programs

- Provide a convenient environment for program development and execution
 - Some of them are simply user interfaces to system calls; others are considerably more complex
- **File management** - Create, delete, copy, rename, print, dump, list, and generally manipulate files and directories
- **Status information**
 - Some ask the system for info - date, time, amount of available memory, disk space, number of users
 - Others provide detailed performance, logging, and debugging information
 - Typically, these programs format and print the output to the terminal or other output devices
 - Some systems implement a registry - used to store and retrieve configuration information

System Programs (Cont.)

- **File modification**

- Text editors to create and modify files
- Special commands to search contents of files or perform transformations of the text

- **Programming-language support** - Compilers, assemblers, debuggers and interpreters sometimes provided

- **Program loading and execution**- Absolute loaders, relocatable loaders, linkage editors, and overlay-loaders, debugging systems for higher-level and machine language

- **Communications** - Provide the mechanism for creating virtual connections among processes, users, and computer systems

- Allow users to send messages to one another's screens, browse web pages, send electronic-mail messages, log in remotely, transfer files from one machine to another