

CS3000: Algorithms & Data

Jonathan Ullman

Lecture 14:


- Network Flow: flows, cuts, duality
- Ford-Fulkerson

Mar 11, 2020

Flow Networks


Flow Networks

- Directed graph $G = (V, E)$
- Two special nodes: source s and sink t
- Edge capacities $c(e)$




Flows

- An **s-t flow** is a function $f(e)$ such that
 - For every $e \in E$, $0 \leq f(e) \leq c(e)$ (capacity)
 - For every $v \in E$, $\sum_{e \text{ in to } v} f(e) = \sum_{e \text{ out of } v} f(e)$ (conservation)
- The **value** of a flow is $val(f) = \sum_{e \text{ out of } s} f(e)$




Maximum Flow Problem

- Given $G = (V, E, s, t, \{c(e)\})$, find an s-t flow of max. value




Cuts

- An **s-t cut** is a partition (A, B) of V with $s \in A$ and $t \in B$
- The **capacity** of a cut (A, B) is $cap(A, B) = \sum_{e \text{ out of } A} c(e)$



Minimum Cut problem


- Given $G = (V, E, s, t, \{c(e)\})$, find an s-t cut of min. capacity



Flows vs. Cuts


- **Fact:** If f is any s-t flow and (A, B) is any s-t cut, then the net flow across (A, B) is equal to the amount leaving s

$$\sum_{e \text{ out of } A} f(e) - \sum_{e \text{ in to } A} f(e) = \text{val}(f)$$




Augmenting Paths

- Given a network $G = (V, E, s, t, \{c(e)\})$ and a flow f , an **augmenting path** P is an $s \rightarrow t$ path such that $f(e) < c(e)$ for every edge $e \in P$




Greedy Max Flow

- Start with $f(e) = 0$ for all edges $e \in E$
- Find an **augmenting path** P
- Repeat until you get stuck




Does Greedy Work?

- Greedy gets stuck before finding a max flow
- How can we get from our solution to the max flow?



greedy



optimal

Residual Graphs

- Original edge: $e = (u, v) \in E$.
 - Flow $f(e)$, capacity $c(e)$
- Residual edge
 - Allows “undoing” flow
 - $e = (u, v)$ and $e^R = (v, u)$.
 - Residual capacity
- Residual graph $G_f = (V, E_f)$
 - Edges with positive residual capacity.
 - $E_f = \{e : f(e) < c(e)\} \cup \{e^R : c(e) > 0\}$.


Augmenting Paths in Residual Graphs

- Let G_f be a **residual graph**
- Let P be an augmenting path in the **residual graph**
- **Fact:** $f' = \text{Augment}(G_f, P)$ is a valid flow

```
Augment( $G_f, P$ )  
   $b \leftarrow$  the minimum capacity of an edge in  $P$   
  for  $e \in P$   
    if  $e \in E$ :     $f(e) \leftarrow f(e) + b$   
    else:          $f(e) \leftarrow f(e) - b$   
  return  $f$ 
```

Ford-Fulkerson Algorithm

- Start with $f(e) = 0$ for all edges $e \in E$
- Find an **augmenting path** P in the **residual graph**
- Repeat until you get stuck




Ford-Fulkerson Algorithm

```
FordFulkerson( $G, s, t, \{c(e)\}$ )  
  for  $e \in E$ :  $f(e) \leftarrow 0$   
   $G_f$  is the residual graph  
  
  while (there is an  $s$ - $t$  path  $P$  in  $G_f$ )  
     $f \leftarrow \text{Augment}(G_f, P)$   
    update  $G_f$   
  
  return  $f$ 
```

```
Augment( $G_f, P$ )  
   $b \leftarrow$  the minimum capacity of an edge in  $P$   
  for  $e \in P$   
    if  $e \in E$ :  $f(e) \leftarrow f(e) + b$   
    else:  $f(e) \leftarrow f(e) - b$   
  return  $f$ 
```



Ford-Fulkerson Demo

G :



Ford-Fulkerson Demo

G :



G_f :



What do we want to prove?

Running Time of Ford-Fulkerson

- For **integer capacities**, $\leq \text{val}(f^*)$ augmentation steps
- Can perform each augmentation step in $O(m)$ time
 - find augmenting path in $O(m)$
 - augment the flow along path in $O(n)$
 - update the residual graph along the path in $O(n)$
- For integer capacities, FF runs in $O(m \cdot \text{val}(f^*))$ time
 - $O(mn)$ time if all capacities are $c_e = 1$
 - $O(mnC_{\max})$ time for any integer capacities $\leq C_{\max}$
 - Problematic when capacities are large—more on this later!

Correctness of Ford-Fulkerson

- **Theorem:** f is a maximum s-t flow if and only if there is no augmenting s-t path in G_f
- **Strong MaxFlow-MinCut Duality:** The value of the max s-t flow equals the capacity of the min s-t cut
- We'll prove that the following are equivalent for all f
 1. There exists a cut (A, B) such that $val(f) = cap(A, B)$
 2. Flow f is a maximum flow
 3. There is no augmenting path in G_f

Optimality of Ford-Fulkerson

- **Theorem:** the following are equivalent for all f
 1. There exists a cut (A, B) such that $val(f) = cap(A, B)$
 2. Flow f is a maximum flow
 3. There is no augmenting path in G_f


Optimality of Ford-Fulkerson

- **(3 → 1)** If there is no augmenting path in G_f , then there is a cut (A, B) such that $val(f) = cap(A, B)$
 - Let A be the set of nodes reachable from s in G_f
 - Let B be all other nodes

Optimality of Ford-Fulkerson

- **(3 \rightarrow 1)** If there is no augmenting path in G_f , then there is a cut (A, B) such that $val(f) = cap(A, B)$
 - Let A be the set of nodes reachable from s in G_f
 - Let B be all other nodes
 - **Key observation:** no edges in G_f go from A to B

- If e is $A \rightarrow B$, then $f(e) = c(e)$
- If e is $B \rightarrow A$, then $f(e) = 0$




Summary

- **The Ford-Fulkerson Algorithm solves maximum s-t flow**
 - Running time $O(m \cdot val(f^*))$ in networks with integer capacities
- **Strong MaxFlow-MinCut Duality: max flow = min cut**
 - The value of the maximum s-t flow equals the capacity of the minimum s-t cut
 - If f^* is a maximum s-t flow, then the set of nodes reachable from s in G_{f^*} gives a minimum cut
 - Given a max-flow, can find a min-cut in time $O(n + m)$

Ask the Audience

- Is this a maximum flow?



- Is there an **integer maximum flow**?
- Does every graph with **integer capacities** have an **integer maximum flow**?

Summary

- **The Ford-Fulkerson Algorithm solves maximum s-t flow**
 - Running time $O(m \cdot val(f^*))$ in networks with integer capacities
- **Strong MaxFlow-MinCut Duality: max flow = min cut**
 - The value of the maximum s-t flow equals the capacity of the minimum s-t cut
 - If f^* is a maximum s-t flow, then the set of nodes reachable from s in G_{f^*} gives a minimum cut
 - Given a max-flow, can find a min-cut in time $O(n + m)$
- **Every graph with integer capacities has an integer maximum flow**
 - Ford-Fulkerson will return an integer maximum flow