
Wireless Networks: Transport Protocols

- Motivation
- TCP-mechanisms
- IndirectTCP
- SnoopingTCP
- MobileTCP
- Fastretransmit/recovery
- Transmissionfreezing
- Selectiveretransmission
- TransactionorientedTCP

Adapted from J. Schiller, “Mobile Communications”, Chapter 10

Motivation I

Transport protocol typically designed for

- ❑ Fixed end-systems
- ❑ Fixed, wired networks

Research activities

- ❑ Performance
- ❑ Congestion control
- ❑ Efficient retransmissions

TCP congestion control

- ❑ packet loss in fixed network typically due to (temporary) overload situations
- ❑ router has to discard packets as soon as the buffers are full
- ❑ TCP recognizes congestion only indirectly via missing acknowledgements, retransmissions unless, they would only contribute to the congestion and make it even worse
- ❑ slow-start algorithm as reaction

Motivation II

TCP slow-start algorithm

- ❑ sender calculates a congestion window for a receiver
- ❑ start with a congestion window size equal to one segment
- ❑ exponential increase of the congestion window up to the congestion threshold, then linear increase
- ❑ missing acknowledgement causes the reduction of the congestion threshold to one half of the current congestion window
- ❑ congestion window starts again with one segment

TCP fast retransmit/fast recovery

- ❑ TCP sends an acknowledgement only after receiving a packet
- ❑ if a sender receives several acknowledgements for the same packet, this is due to a gap in received packets at the receiver
- ❑ however, the receiver got all packets up to the gap and is actually receiving packets
- ❑ therefore, packet loss is not due to congestion, continue with current congestion window (do not use slow-start)

Influences of mobility on TCP - mechanisms

TCP assumes congestion if packets are dropped

- ❑ typically wrong in wireless networks, here we often have packet loss due to *transmission errors*
- ❑ furthermore, *mobility* itself can cause packet loss, if e.g. a mobile node roams from one access point (e.g. foreign agent in Mobile IP) to another while there are still packets in transit to the wrong access point and forwarding is not possible


The performance of an unchanged TCP degrades severely

- ❑ however, TCP cannot be changed fundamentally due to the large base of installation in the fixed network, TCP for mobility has to remain compatible
- ❑ the basic TCP mechanisms keep the whole Internet together


IndirectTCPI

IndirectTCPorI -TCPsegmentstheconnection

- ❑ no change to the TCP protocol for hosts connected to the wired Internet, millions of computers use (variants of) this protocol
- ❑ optimized TCP protocol for mobile hosts
- ❑ splitting of the TCP connection at, e.g., the foreign agent into connections, no real end-to-end connection any longer
- ❑ hosts in the fixed part of the net do not notice the characteristics of the wireless part



I-TCP socket and state migration



Indirect TCP II

Advantages


- no changes in the fixed network necessary, no changes for the hosts (TCP protocol) necessary, all current optimizations to TCP still work
- transmission error on the wireless link does not propagate into the network
- simple to control, mobile TCP is used only for one hop between, e.g., a foreign agent and mobile host
- therefore, a very fast retransmission of packets is possible, though delay on the mobile hop is known

Disadvantages

- loss of end-to-end semantics, an acknowledgment to a sender does not mean that a receiver really got a packet, for agents might crash
- higher latency possible due to buffering of data within the foreign agent and forwarding to a new foreign agent

Snooping TCPI

- „Transparent“ extension of TCP within the foreign agent
 - buffering of packets sent to the mobile host
 - lost packet on the wireless link (both directions!) will be retransmitted immediately by the mobile host or foreign agent, respectively (so called “local” retransmission)
 - the foreign agent therefore “snoops” the packet flow and recognizes acknowledgements in both directions, it also filters ACKs
 - changes of TCP only within the foreign agent (+ min. MTU change)



Snooping TCP II

Data transfer to the mobile host

- ❑ FA buffers data until it receives ACK of the MH, FA detects packet loss via duplicated ACKs or time-out
- ❑ fast retransmission possible, transparent for the fixed network

Data transfer from the mobile host

- ❑ FA detects packet loss on the wireless link via sequence numbers, FA answers directly with a NACK to the MH
- ❑ MH cannot retransmit data with only a very short delay

Integration of the MAC layer

- ❑ MAC layer often has similar mechanisms to those of TCP
- ❑ thus, the MAC layer can already detect duplicated packets due to retransmissions and discard them

Problems

- ❑ snooping TCP does not isolate the wireless link as good as I-TCP
- ❑ snooping might be useless depending on encryption schemes

MobileTCP

Special handling of length and/or frequent disconnections

M-TCP splits as follows - TCP does

- ❑ unmodified TCP fixed network to supervisory host (SH)
- ❑ optimized TCP SH to MH

Supervisory host

- ❑ no caching, no retransmission
- ❑ monitors all packets, if disconnection detected
 - sets sender window size to 0
 - sender automatically goes into persistent mode
- ❑ old or new SH reopens the window

Advantages

- ❑ maintains semantics, supports disconnection, no buffer forwarding

Disadvantages

- ❑ loss on wireless link propagated into fixed network
- ❑ adapted TCP on wireless link

Fastretransmit/fastrecovery

Change of foreign agent often results in packet loss

- ❑ TCP reacts with slow start although there is no congestion

Forced fast retransmit

- ❑ as soon as the mobile host has registered with a new foreign agent, the MH sends duplicated acknowledgements on purpose
- ❑ this forces the fast retransmit mode at the communication partner
- ❑ additionally, the TCP on the MH is forced to continue sending with the actual window size and not to go into slow start after registration

Advantage

- ❑ simple change results in significantly higher performance

Disadvantage

- ❑ further mix of IP and TCP (to know when there is a new registration), not transparent approach

Transmission/time-out/freezing

Mobile hosts can be disconnected for a long time

- ❑ no packet exchange possible, e.g., in a tunnel, disconnection due to overloaded cells or mux. with higher priority traffic
- ❑ TCP disconnects after time - out completely

TCP freezing

- ❑ MAC layer is often able to detect interruption in advance
- ❑ MAC can inform TCP layer of upcoming loss of connection
- ❑ TCP stops sending, but does not assume a congested link
- ❑ MAC layer signals again if reconnected

Advantage

- ❑ scheme is independent of data and TCP mechanisms (Ack, SN) => work even with IPsec

Disadvantage

- ❑ TCP on mobile host has to be changed, mechanism depends on MAC layer

Selective retransmission

TCP Acknowledgements are often cumulative

- ❑ ACK acknowledges correct and in order sequence of packets up to n
- ❑ if a single packet is missing, quite often a whole packet sequence begins at the gap and has to be retransmitted (go back-n), thus wasting bandwidth

Selective retransmission as one solution

- ❑ RFC 2018 allows for acknowledgement of single packets, not only whole streams
- ❑ sender can retransmit only the missing packets

Advantage

- ❑ much higher efficiency

Disadvantage

- ❑ more complex software in receiver, more buffer needed at the receiver

Transaction oriented TCP

TCP phases

- ❑ connection setup, data transmission, connection release
- ❑ using 3-way handshake needs 3 packets for setup and release, respectively
- ❑ thus, even short messages need a minimum of 7 packets!

Transaction oriented TCP

- ❑ RFC 1644, T-TCP, describes a TCP version to avoid this overhead
- ❑ connection setup, data transfer and connection release can be combined
- ❑ thus, only 2 or 3 packets are needed

Advantage

- ❑ efficiency

Disadvantage

- ❑ requires changed TCP
- ❑ mobility not longer transparent

Comparison of different approaches for a “mobile” TCP

| Approach | Mechanism | Advantages | Disadvantages |
|---------------------------------|---|---|---|
| Indirect TCP | splits TCP connection into two connections | isolation of wireless link, simple | loss of TCP semantics, higher latency at handover |
| Snooping TCP | “snoops” data and acknowledges, local retransmission | transparent for end-to-end connection, MAC integration possible | problematic with encryption, bad isolation of wireless link |
| M-TCP | splits TCP connection, choke send via window size | Maintains end-to-end semantics, handles long term and frequent disconnections | Bad isolation of wireless link, processing overhead due to bandwidth management |
| Fast retransmit/ fast recovery | avoid slow-start after roaming | simple and efficient | mixed layers, not transparent |
| Transmission/ time-out freezing | freezes TCP state at disconnect, resumes after reconnection | independent of content or encryption, works for longer interrupts | changes in TCP required, MAC dependant |
| Selective retransmission | retransmit only lost data | very efficient | slightly more complex receiver software, more buffer needed |
| Transaction oriented TCP | combine connection setup/release and data transmission | Efficient for certain applications | changes in TCP required, not transparent |