

CS 4100/5100: Foundations of AI

Machine Learning

Instructor: Rob Platt
rplatt@ccs.neu.edu


College of Computer and information Science
Northeastern University

Fall, 2014

Digit classification




Digit classification



Parameter Estimation

$P(Y)$

1	0.1
2	0.1
3	0.1
4	0.1
5	0.1
6	0.1
7	0.1
8	0.1
9	0.1
0	0.1



$P(F_{3,1} = on|Y)$ $P(F_{5,5} = on|Y)$

1	0.01	1	0.05
2	0.05	2	0.01
3	0.05	3	0.90
4	0.30	4	0.80
5	0.80	5	0.90
6	0.90	6	0.90
7	0.05	7	0.25
8	0.60	8	0.85
9	0.50	9	0.60
0	0.80	0	0.80

SPAM filtering

- **Model:** $P(Y, W_1 \dots W_n) = P(Y) \prod_i P(W_i|Y)$
- What are the parameters?

$P(Y)$

ham : 0.66
<u>spam</u> : 0.33

$P(W|\text{spam})$

the : 0.0156
to : 0.0153
and : 0.0115
of : 0.0095
you : 0.0093
a : 0.0086
with: 0.0080
from: 0.0075
...

$P(W|\text{ham})$

the : 0.0210
to : 0.0133
of : 0.0119
2002: 0.0110
with: 0.0108
from: 0.0107
and : 0.0105
a : 0.0100
...

- Where do these tables come from?

SPAM filtering

Word	$P(w \text{spam})$	$P(w \text{ham})$	Tot Spam	Tot Ham
(prior)	0.33333	0.66666	-1.1	-0.4
Gary	0.00002	0.00021	-11.8	-8.9
would	0.00069	0.00084	-19.1	-16.0
you	0.00881	0.00304	-23.8	-21.8
like	0.00086	0.00083	-30.9	-28.9
to	0.01517	0.01339	-35.1	-33.2
lose	0.00008	0.00002	-44.5	-44.0
weight	0.00016	0.00002	-53.3	-55.0
while	0.00027	0.00027	-61.5	-63.2
you	0.00881	0.00304	-66.2	-69.0
sleep	0.00006	0.00001	-76.0	-80.5

$$P(\text{spam} | w) = 98.9$$

Overfitting

