

How to Design Class Hierarchies

Viera K. Proulx, Northeastern University, Boston, MA
Kathryn E. Gray, University of Utah, Salt Lake City, Utah

Abstract

We report on the experience of teaching introductory second semester computer science course on Fundamentals of Computer Science that uses our curriculum ***How to Design Class Hierarchies***¹ and the **ProfessorJ** programming languages implemented within the **DrScheme** programming environment.

This comprehensive curriculum for an introductory course is focused on principled design of class based programs in an object-oriented language (Java) with a carefully structured gradual increase in the complexity of the class structure and the programming language.

The curriculum includes extensive lecture notes, programming assignments, closed lab plans, exams, and a first part of a textbook. The curriculum is supported by a programming environment *ProfessorJ* [13] with a series of gradually more complex teaching languages that support a novice learner. The pedagogy focuses on teaching the students problem solving and design skills that transcend the study of programming. The organization of the topics draws its strength from the theory of programming languages by focusing on the structure of data rather than on algorithms, user interactions, or arcane details of the programming language syntax.

1 HtDCH: An Overview

1.1 Introduction

Typical introductory curricula overwhelm students with a number of concepts and tricks that must be understood just to write their first program. In an object-oriented language, specifically Java, this means defining a class, its methods, defining an instance of the class and invoking the correct method. All while learning to use the programming environment, which uses industrial strength language and compiler with error messages incomprehensible to a novice, as well as the environment's mechanism for interaction. Some pedagogical programming environments (especially BlueJ [4] and DrJava [2, 14]) provide some support for novice-user interactions. Other approaches have been events-first [7, 8], elementary patterns [5], graphics first [3], abstract to concrete [16], and test first [9].

Our curriculum, **HtDCH**, addresses this problem through the structure of the programs students work on, the programming environment *ProfessorJ* within *DrScheme* that provides support for the novice programmer through a series of Java-like learning languages, and through a pedagogy that focuses on disciplined program design from the first day. This curriculum is a natural follow-up to the *TeachScheme!* [11] curriculum supported by the *DrScheme* [12] series of languages and the textbook "*How to Design Programs*" [10]. The pedagogy of this (and our) curriculum is based on the use of the DESIGN RECIPE.

The curriculum has been used in our classrooms for the past three years resulting in a noticeable improvement of student's abilities to write programs and to reason about them [17]. It has also been successfully implemented by several high school and college instructors who have participated in our summer workshops.

1.2 HtDCH: The Structure and the Function

The key premise of object-oriented programming is that interacting objects communicate with each other and perform tasks in response to method invocation. The emphasis is on the class hierarchies that support these

¹The HtDCH team also includes Matthias Felleisen, Matthew Flatt, Robby Findler, and Shriram Krishnamurthi

interactions, while the methods are typically much simpler. This is also the key premise of our curriculum. Students first focus on understanding the structure of data, and design classes and class hierarchies that represent different kinds of relationships among them.

Once students can design quite complex class hierarchies and understand how to represent information as instances of the classes they designed, they proceed with the design of methods.

Another original premise of object-oriented programming has been the desire to write programs that favor immutability [6]. Indeed, there has been a quest to eliminate the assignment statement altogether [15]. To follow this quest, for the first several weeks our students only write programs free of side effects. This is enforced by the programming environment, *ProfessorJ*, which requires that every method produces a value (not *void*), and which prohibits the use of the assignment statement within a method body. A beneficial consequence of these restrictions is the fact that it is very easy to design tests for all methods.

1.3 HtDCH: The Pedagogy

The TeachScheme! Project [1] introduced the pedagogy of teaching program design through the use of DESIGN RECIPES. DESIGN RECIPE is a pedagogical tool that promotes self-regulatory learning [18, 19] and provides the opportunity for pedagogical interventions.

Self-regulatory learning research shows that students learn better when the task is divided into small steps, and at every step the learner is given clear instructions on how to proceed, a goal to accomplish, and a way to measure whether the goal has been achieved.

The DESIGN RECIPE for functions in the TeachScheme! curriculum describes such steps:

1. Analyze the problem, identify the available information, represent it as data.
2. Write down a concise purpose statement, a contract and a header for the function.
3. Make examples of the function use, with expected outcomes.
4. Write down the template: a list of all data available for your function.
(For example, if an argument is a structure, list all of its components.)
5. Design the function body.
6. Convert your examples into test cases and run the tests.

Students proceed in a very structured, disciplined way, providing documentation for each method as well as practicing test-driven design. When a student encounters a problem the instructor can intervene by asking at which step of the design recipe the student got stuck. Asking further questions about that particular step in the DESIGN RECIPE guides the student in finding the solution. The intervention is focused, effective, and empowering.

Our curriculum builds on the *TeachScheme!* curriculum by defining DESIGN RECIPES tailored to the design of classes and class hierarchies as well as methods for these interacting classes.

1.4 HtDCH: Abstractions

In order to take advantage of the vast libraries of programs available in nearly every programming language one has to understand how to design and use abstractions. The DESIGN RECIPE for abstractions guides our students in moving from simple concrete solutions for specific problems to producing general solutions for a class of problems. In the process students learn the principles behind the design of abstractions, the language support for building abstractions, and the techniques for implementing the abstractions in their programs.

The specific techniques we present are interfaces, generics, function objects, iterators, and combinations of these. Illustrating these principles in the context of Java libraries motivates mutation and a transition from recursive style of programming to iterative programming. Students are well prepared for understanding the principles and the use of the Java Collections Framework and other Java libraries, and transition easily to working with the full Java language.


2 The Structure of the Curriculum

2.1 Designing Class Hierarchies

Our curriculum first focuses on the design of classes that represent information. There are no methods. The DESIGN RECIPE for classes describes the questions to ask about the available information that guide the student in designing the appropriate class structure.

We start with simple classes where all fields are either primitive types or *Strings*. The class is represented both as a UML-like class diagram and as Java code. We do not introduce the visibility modifiers, and the only constructors students see here are full constructors that initialize every field. As a result, once the student decides on the fields, their types and their names, the remainder of the task of producing the Java code can be automated. *ProfessorJ* provides a tool that generates the class diagram and the corresponding Java code from the information supplied in a GUI dialog. However, the DESIGN RECIPE requires that the class definition must be followed immediately by defining examples of instances of this class in the *Client* class. *ProfessorJ's Interactions* window can then display the values of these instances in a readable form.

```
/* ----- Class Diagram -----  
+-----+  
| Book |  
+-----+  
| String title |  
| int year |  
+-----+  
*/
```



Next we introduce classes that contain instances of other classes (e.g. a *Book* class with a field of type *Author*), and a union of classes that represent variants of a common core, (e.g. a *Shape* that can be either a *Circle* or a *Rectangle*).

The DESIGN RECIPE for designing simple classes has three steps:

1. Read the problem statement. Identify the fields needed to represent the given information. Write down your findings as a class diagram. It will serve as our data definitions when designing classes.
2. Translate the class diagram into a class definition, adding a purpose statement to each class. The purpose statement explains to future readers what kind of information the class represents and how.
3. Make up examples of information and represent them with instances of the class. Conversely, make up instances of the class and interpret them as information.

Similar DESIGN RECIPE for classes with containment and classes with unions help students understand how to choose the right representation for available information. The class diagrams translate directly into

Java syntax. Additionally, the words *consists of fields* ... or *is one of* ... are used consistently to describe either a single class or a union of classes.

The design of self-referential class hierarchies such as recursively defined lists and trees follows in a straightforward manner:

```
An ancestor tree ATree is one of:  
- empty tree (of the type MTTree)  
- a Node that contains the fields  
    ancestor (of the type Ancestor)  
    left      (of the type ATree)  
    right     (of the type ATree)
```

At this early point in the course students can design quite complex class hierarchies, such as representation of files and directories, web pages with their components that can again be web pages, student records with schedules, transcripts, and course information, etc., as long as the data is not circularly referential.

Before writing the first method students are comfortable with a key part of the Java syntax and have a large collection of data examples that can be used to invoke and test the methods they design.

2.2 Designing Methods

The DESIGN RECIPE for methods not only guides the student through the design process, but also instills early on the need for *documenting a program* and the discipline of *test-driven design*.

The DESIGN RECIPE for a method in a simple class is almost the same as the DESIGN RECIPE for functions in *TeachScheme!*. The contract and header are replaced by the method signature and the object that invoked the method is referred to as an implicit argument named *this*. Initially, students design only methods that return a value (not *void*). It is easy to design tests for these methods. Students program in a safe environment, learn good program design skills, and can easily understand the meaning of the values produced by the methods.

There are additional DESIGN RECIPES for class hierarchies such as classes with containment, unions, or self-referential data. They include an expanded guidance on how to design the template, specifically by including the methods for which at least the stubs have been already defined.

One additional step that applies to the design of all methods is the use of a wish list. If a method seems to be too complex, or it contains a task that is best performed by another class, the DESIGN RECIPE instructs students to make a wish list of methods they may need. It is sufficient to write down the purpose statement and the header for a method in the wish list — the rest of the work can be delayed till later. The *Chain of Responsibility* design pattern is practiced early on.

Students design methods to traverse binary trees, to sort lists of objects, to analyze pollution in a river system, to produce lists of only those objects that satisfy some constraint, and many others. We also provide a pedagogical library for the design of interactive graphics such as an animated game, where the program processes key events and responds to timer ticks. The methods for drawing images produce *true* and are the only methods that generate side-effects. The events are handled by the methods *onKey(String ke)* and *onTick()* which produce a new scene in the game world.

2.3 Designing Abstractions

At this point students realize that the methods they write all look similar. They also observe similarities between some class hierarchies, especially those that represent lists of instances of various classes. These observations lead naturally to designing abstractions. The DESIGN RECIPE for abstractions over methods asks the student to compare two methods, identify the differences, represent the difference as an additional parameter — and when done, run the tests for the original methods on the new abstracted method. Abstracting over classes, i.e. creating a common super class for classes that are similar, follows a similar DESIGN RECIPE.

By this time students have seen a number of lists of different objects, such as list of *Books*, *Persons*, *Shapes*, *WeatherRecords*. The similarity between the structure of these classes is obvious. Introducing the

abstraction that replaces a list of specific objects with a list of *Any* (or a list of *Object*) is just a natural thing to do. With Java 1.5 this leads to using generics.

The next abstraction is over the *hook* methods needed for algorithms such as sorting. When the class implements the *Comparable* interface, the sorting algorithm becomes the template part of the *Template and Hook* design pattern. If a class implements an interface that represents a predicate to select objects within a class, students can design methods that find all items that satisfy the predicate (a *filter*), methods that determine whether all items satisfy the predicate (an *andMap*), etc.

When it becomes clear that a *Book* class cannot implement the *Comparator* interface in two different ways (by title, by year), students readily embrace the function object abstraction through a class that implements the desired *compare* method. The sort method does not change, except for how it invokes the *hook* that is now supplied as a function object argument.

Abstracting the traversal of a list (or of other structures) through a functional iterator introduces more complex interfaces. (Note: The use of a functional iterator still avoids mutation.) We then add an external implementation using the *Decorator* design pattern. Exceptions are now needed to handle the attempts to invoke *current()* or *next()* on an empty iterator.

Having defined an iterator and function objects that provide *hooks* for algorithms, we can define a class that represents a collection of algorithms such as *filter*, *andMap*, *orMap*, *sort*, *map*, etc. It is possible to cover all these concepts without introducing mutation. The focus is on the design: the needed language features are added as they become necessary.

3 ProfessorJ: Interactions and Language Levels

3.1 Interactions Window

The **ProfessorJ Interactions** window allows the user to instantiate an object in any of the classes defined in the **Definitions** window. It also allows the student to invoke methods on the instances that have been defined in the **Interactions** window.

This provides support for experimentation and quick verification of student's understanding of the expected program behavior. So, for example, students define a *Client* class that contains instances of other classes in their program. The *Client* class also contains tests for the methods defined in student's program's classes. The student can then instantiate the *Client* class in the **Interactions** window, to display the instances and run the tests. We show below a sample user's interaction requests for the program shown in section 2.1:

```
Welcome to DrScheme, version 299.105pl-cvs9may2005.
Language: ProfessorJ: Beginner.
> Client c = new Client();
> c
Client
  htdp = Book(
    title = "How to Design Programs",
    year = 2001),
  gof = Book(
    title = "Design Patterns",
    year = 1995))
> c.htdp
Book(
  title = "How to Design Programs",
  year = 2001)
> (new Book("Effective Java", 2001)).before2000()
false
>
```

3.2 Beginner Language

When designing classes and methods, students work in a very supportive environment. *ProfessorJ* at the *Beginner* level does not allow methods that return void, does not allow mutation or local variables, does not allow overloading, and does not allow (or require) access modifiers or static members. Students can create

fields that are initialized either in the constructor or at their declaration site, but these values cannot change. Finally, every field or method access within the class definition must be qualified with *this*, which helps students distinguish between method arguments and the current object.

While the structure of the class hierarchies they work with is nearly on par with the full language, the programs are restricted to the safety of immutable world with minimum of ambiguity or syntax overhead.

3.3 Intermediate Language

The *Intermediate* language of *ProfessorJ* provides support for the abstractions described in the previous section. Interfaces are added to complete the class hierarchy infrastructure. The abstraction over list of *any kind* is currently supported through *cast* and the *instanceof* operator.

There are still no visibility modifiers, or *static* fields or methods. Though we use mathematical functions such as *Math.sqrt(x)*, even in the *Begginer* level, we postpone the explanation of this syntax till later.

The *Intermediate* language adds mutation. The assignment statement can now be used within method bodies and methods may have return type *void*. Though mutation is not needed for the abstractions described in the previous section it is added to support circularly referential data.

3.4 Advanced and Beyond

Currently, the *Advanced* language level is undergoing testing, and so at this point our students transition to a commercial Java compiler and IDE. By now the students have an appropriate context for the discussion of visibility modifiers, the need for classes to be responsible for the intergrity of its data, as well as the need for separating the API from the implementation. After having worked with class hierarchies with more than a dozen classes and interfaces students can confidently navigate and work with an IDE project.

4 Facing the Dragons: The Transition to *Full Java*

To transition to full Java language students need to understand mutation, iterative (as opposed to recursion based) loops, and the use of *static* fields and methods. Our goal is also to guide students to become effective users of existing libraries.

The first step in this transition introduces mutation. The motivation for the mutation is presented in two different contexts. The first one is the need to define circularly referential data. If a book can have several authors and so it has a field that represents a list of authors, and at the same time, each author object contains a field that represents the books written by this author, we no longer can define constructors that would initialize both books and authors. The list of books written by an author must be intialized to an empty list, and as each new book is defined, the list is modified to give the author the credit for the newly published book. The effects of adding a book to author's list of books can still be easily tested.

The second motivation for mutation comes from using a direct access data structure (either a *Vector*, or the *ArrayList*, or the *Array*). We started with *ArrayList* because it is similar to the lists we have used until now. We define an iterator for *ArrayList* that implements our interface for an immutable functional iterator. This allows us to define all of our earlier algorithms without modifications.

We then present the direct access methods for *ArrayList* and to transform the recursively defined methods to iteration using either a *while* loop or a *for* loop. The DESIGN RECIPE for this transformation is a simplified version of CPS transformation.

Students are ready to learn about *Java Collections Framework*. It is easy to explain the need for *Collection* interface and the *Abstract Collection* implementation of most of the methods. Students read the documentation with confident understanding of the description of the class hierarchies.

The introduction of Java mutating *Iterator* interface and the *iterator()* method in the *Collection* interface provides the context for introducing inner classes and static fields and methods. We also design an adapter that implements out functional iterator using the methods provided by the Java *Iterator* interface — a beautiful and useful illustration of the *Adapter* design pattern.

To introduce other classes in the *Java Collections Framework* we discuss the algorithm complexity. We present problems that highlight the need for specialized data structures such as hash tables, sets, trees, and algorithms such as a heap used for representing priority queues, or the union/find algorithm. Our algorithm framework that allows us to select independently the specific sorting algorithm with its data representation, the source and the size of the data, and the *Comparator* used to sort the data, provides the infrastructure for stress tests of sorting algorithms. Students experience on concrete examples the differences between the algorithms, not only based on the structure of the algorithm, but also the structure of the data and the limitation of the language (such as the lack of support for tail recursion in Java).

5 Conclusion

5.1 Our Experiences

The curriculum has been tested in the classroom for three years, in incrementally more complete and comprehensive state. During the first year we introduced the key design ideas and some abstractions, using the full Java language with commercial IDE (Metrowerks). In the second year we first used *ProfessorJ* and a draft of the textbook covering the first four weeks of the course (up to abstractions). This year we complemented the textbook with online lecture notes. Over the three years we have experimented with different structure of student's test suites. Every year the course has been team taught by two or more instructors, only one of them (Viera Proulx) from the HtDCH group.

The instructors in all sections of the subsequent courses (Object-Oriented Design and Computer Organization and Programming) uniformly comment on better preparation of students who completed this curriculum. The most telling comment came from a student was a posting on the newsgroup in response to some complaints about the wording of an exam question:

Now that is completely unfair. [reply to an earlier unhappy posting] I transferred into Northeastern at the beginning of this past year. I went to a community college for a year, took 3 different programming classes there as well as an AP Computer Science class in Highschool. Now I can honestly say that in this ONE semester, I have learned more from Clement's class than all of my previous classes combined. I wish that I had no programming experience before coming here because some old habits are hard to change.

One question on one test shouldn't cause you to completely look down at an amazing course.

We presented the curriculum in one-week intensive summer workshops during the summers 2003 and 2004. The participants were uniformly excited and several of the instructors implemented the curriculum during this academic year - using the part of the textbook, the lecture notes, and the support from our team.

5.2 Summary

We presented a curriculum that provides a systematic introduction to the design of class based programs in an object-oriented language. The key features of our curriculum are:

- Solid pedagogical foundation based on the use of DESIGN RECIPES
- Supportive programming environment with gradually more complex languages
- Test-driven design
- Required documentation
- Topic progression founded in the structure of the data
 - * Data definitions: classes, containment, unions, self-reference
 - * Methods: for classes, containment, unions, self-reference
 - * Abstractions: interfaces, *Object*, function objects, traversals, ADT
 - * Mutation: circularly referential data, iteration, direct access data
 - * Trade-offs and Tricks: complexity — effective structures and algorithms

The curriculum consists of a draft of a textbook, lecture notes, assignments with solutions, lab materials, and a library for graphics and event programming. It has been successfully tested in the classrooms at Northeastern University and several other colleges and high schools.

References

- [1] <http://www.teach-scheme.org/>.
- [2] Allen, E., R. Cartwright and B. Stoller. DrJava: A lightweight pedagogic environment for Java. *SIGCSE Bulletin and Proceedings*, 34(1):137–141, 2002.
- [3] Alphonse, C. and P. Ventura. Using graphics to support the teaching of fundamental object-oriented principles in CS1. In *Companion of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications, Anaheim, CA*, pages 156–161, Oct, 2003.
- [4] Barnes, D. J. and M. Koelling. *Objects First with Java: A Practical Introduction Using BlueJ*. Prentice Hall, 2003.
- [5] Bergin, J. Teaching polymorphism with design patterns. In *Companion of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications, Anaheim, CA*, pages 167–169, Oct, 2003.
- [6] Bloch, J. *Effective Java Programming Language Guide*. Addison Wesley, 2001.
- [7] Bruce, K., A. Danyluk and T. P. Murtagh. A library to support a graphics-based object-first approach to cs1. *SIGCSE Bulletin*, 33(1):6–10, 2001.
- [8] Bruce, K. B., A. P. Danyluk and T. P. Murtagh. *Java: An eventful approach*. Prentice-Hall, 2004.
- [9] Edwards, S. H. Rethinking computer science education from a test-first perspective. In *Companion of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications, Anaheim, CA*, pages 148–155, Oct, 2003.
- [10] Felleisen, M., R. B. Findler, M. Flatt and S. Krishnamurthi. *How to Design Programs*. MIT Press, 2001.
- [11] Felleisen, M., R. B. Findler, M. Flatt and S. Krishnamurthi. The Teachscheme! Project: Computing and programming for every student. *Computer Science Education*, 14(1):55–77, 2004.
- [12] Findler, R. B., J. Clements, C. Flanagan, M. Flatt, S. Krishnamurthi, P. Steckler and M. Felleisen. DrScheme: A programming environment for Scheme. *Journal of Functional Programming*, 12(2):159–182, 2002.
- [13] Gray, K. E. and M. Flatt. ProfessorJ: a gradual introduction to Java through language levels. In *Companion of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications, Anaheim, CA*, pages 170–177, Oct, 2003.
- [14] Hsia, J. I., E. Simpson, D. Smith and R. Cartwright. Taming Java for the classroom. *SIGCSE Bulletin and Proceedings*, 7(1):327–331, 2005.
- [15] Kay, A. The early history of Smalltalk. *SIGPLAN Notices*, 28(3), March 1993.
- [16] Nevison, C. H. From concrete to abstract: The power of generalization. In *Companion of the 19th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications, Vancouver, BC*, pages 106–108, Oct, 2004.
- [17] Proulx, V. K. and T. Cashorali. Calculator problem and the Design Recipe. *SIGPLAN Notices*, pages 4–11, March 2005.
- [18] Schunk, D. H. and P. A. Ertmer. Self-regulatory processes during computer skill acquisition: Goals and self-evaluative influences. *Journal of Educational Psychology*, 91:251–260, 1999.
- [19] Zimmerman, B. J. and D. H. S. (eds.). *Self-regulated learning and academic achievement: Theory, research and practice*. Springer Verlag, 1989.